

L Number	Hits	Search Text	DB	Time stamp
1	916	((ball or spher\$3) with (opening\$1 or socket\$1 or hole\$1 or bore\$1 or aperture\$1)) same ((oblique or angl\$3 or slant\$3 or inclin\$5 or sideways or obtuse or orthogonal or acute) near (opening\$1 or hole\$1 or bore\$1 or aperture\$1 or socket\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 16:50
5	430	((ball or spher\$3) with (opening\$1 or socket\$1 or hole\$1 or bore\$1 or aperture\$1)) same ((oblique or angl\$3 or slant\$3 or inclin\$5 or sideways or obtuse or orthogonal or acute) near (opening\$1 or hole\$1 or bore\$1 or aperture\$1 or socket\$1))) and (hang\$3 or suspen\$5 or bracket or support or mount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 16:51
7	253	((ball or spher\$3) with (opening\$1 or socket\$1 or hole\$1 or bore\$1 or aperture\$1)) same ((oblique or angl\$3 or slant\$3 or inclin\$5 or sideways or obtuse or orthogonal or acute) near (opening\$1 or hole\$1 or bore\$1 or aperture\$1 or socket\$1))) and (hang\$3 or suspen\$5 or bracket or support or mount)) and (ceiling or wall)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 16:53
2	10	((ball or spher\$3) with (opening\$1 or socket\$1 or hole\$1 or bore\$1 or aperture\$1)) same ((oblique or angl\$3 or slant\$3 or inclin\$5 or sideways or obtuse or orthogonal or acute) near (opening\$1 or hole\$1 or bore\$1 or aperture\$1 or socket\$1))) and 248/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 16:53
3	2	((ball or spher\$3) with (opening\$1 or socket\$1 or hole\$1 or bore\$1 or aperture\$1)) same ((oblique or angl\$3 or slant\$3 or inclin\$5 or sideways or obtuse or orthogonal or acute) near (opening\$1 or hole\$1 or bore\$1 or aperture\$1 or socket\$1))) and 416/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 16:53
4	39	((ball or spher\$3) with (opening\$1 or socket\$1 or hole\$1 or bore\$1 or aperture\$1)) same ((oblique or angl\$3 or slant\$3 or inclin\$5 or sideways or obtuse or orthogonal or acute) near (opening\$1 or hole\$1 or bore\$1 or aperture\$1 or socket\$1))) and 403/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 16:54

6	234	(((ball or spher\$3) with (opening\$1 or socket\$1 or hole\$1 or bore\$1 or aperture\$1)) same ((oblique or angl\$3 or slant\$3 or inclin\$5 or sideways or obtuse or orthogonal or acute) near (opening\$1 or hole\$1 or bore\$1 or aperture\$1 or socket\$1))) and ((down adj2 rod) or conduit or post or pole or bar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 16:58
8	128	((((ball or spher\$3) with (opening\$1 or socket\$1 or hole\$1 or bore\$1 or aperture\$1)) same ((oblique or angl\$3 or slant\$3 or inclin\$5 or sideways or obtuse or orthogonal or acute) near (opening\$1 or hole\$1 or bore\$1 or aperture\$1 or socket\$1))) and (hang\$3 or suspen\$5 or bracket or support or mount)) and (ceiling or wall)) not (((ball or spher\$3) with (opening\$1 or socket\$1 or hole\$1 or bore\$1 or aperture\$1)) same ((oblique or angl\$3 or slant\$3 or inclin\$5 or sideways or obtuse or orthogonal or acute) near (opening\$1 or hole\$1 or bore\$1 or aperture\$1 or socket\$1))) and ((down adj2 rod) or conduit or post or pole or bar))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 16:59
-	663106	ball or sphere	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 13:56
-	334817	(slop\$3 or inclin\$5) with (ceiling or surface or wall)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 13:57
-	8631	(ball or sphere) same ((slop\$3 or inclin\$5) with (ceiling or surface or wall))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 13:57
-	700	((ball or sphere) same ((slop\$3 or inclin\$5) with (ceiling or surface or wall))) and (down with (rod or post or pole or member or tube))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 13:58
-	127	(((ball or sphere) same ((slop\$3 or inclin\$5) with (ceiling or surface or wall))) and (down with (rod or post or pole or member or tube))) and (hanger or suspen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 13:58

-	777401	((inclin\$5 or slant\$5 or slop\$5 or angle\$2 or cathedral) with (ceiling or surface or wall)) sane ((hanger or support or mount or bracket) near (ball or sphere or canopy or cover or suspen\$5 or hang\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:00
-	220275	((((inclin\$5 or slant\$5 or slop\$5 or angle\$2 or cathedral) with (ceiling or surface or wall)) sane ((hanger or support or mount or bracket) near (ball or sphere or canopy or cover or suspen\$5 or hang\$3))) and (light or lighting or fan)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:00
-	3083	(((((inclin\$5 or slant\$5 or slop\$5 or angle\$2 or cathedral) with (ceiling or surface or wall)) sane ((hanger or support or mount or bracket) near (ball or sphere or canopy or cover or suspen\$5 or hang\$3))) and (light or lighting or fan)) and 248/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:00
-	1121	(((((inclin\$5 or slant\$5 or slop\$5 or angle\$2 or cathedral) with (ceiling or surface or wall)) sane ((hanger or support or mount or bracket) near (ball or sphere or canopy or cover or suspen\$5 or hang\$3))) and (light or lighting or fan)) and 416/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:00
-	6858	(((((inclin\$5 or slant\$5 or slop\$5 or angle\$2 or cathedral) with (ceiling or surface or wall)) sane ((hanger or support or mount or bracket) near (ball or sphere or canopy or cover or suspen\$5 or hang\$3))) and (light or lighting or fan)) and 362/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:01
-	202	(((((inclin\$5 or slant\$5 or slop\$5 or angle\$2 or cathedral) with (ceiling or surface or wall)) sane ((hanger or support or mount or bracket) near (ball or sphere or canopy or cover or suspen\$5 or hang\$3))) and (light or lighting or fan)) and 248/\$.ccls.) and (down with (rod or bar or pole or post))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:01
-	44	(((((inclin\$5 or slant\$5 or slop\$5 or angle\$2 or cathedral) with (ceiling or surface or wall)) sane ((hanger or support or mount or bracket) near (ball or sphere or canopy or cover or suspen\$5 or hang\$3))) and (light or lighting or fan)) and 416/\$.ccls.) and (down with (rod or bar or pole or post))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:04
-	119	(((((inclin\$5 or slant\$5 or slop\$5 or angle\$2 or cathedral) with (ceiling or surface or wall)) sane ((hanger or support or mount or bracket) near (ball or sphere or canopy or cover or suspen\$5 or hang\$3))) and (light or lighting or fan)) and 362/\$.ccls.) and (down with (rod or bar or pole or post))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:06

-	0	FRAMPTON-THOMAS.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:14
-	46	FRAMPTON-THOMAS-\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/19 15:14